

# GET ON powertransmission.com™ IN FOUR EASY STEPS.

## STEP ONE — CONTACT INFORMATION.

Company Name: \_\_\_\_\_  
Street Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Postal Code: \_\_\_\_\_  
Country: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_ Fax: ( \_\_\_\_\_ ) \_\_\_\_\_  
E-mail (to appear on Company Page): \_\_\_\_\_  
Web Site Address: \_\_\_\_\_  
Contact Name on Company Page: \_\_\_\_\_ Title: \_\_\_\_\_  
Authorized Name: \_\_\_\_\_ Signature: \_\_\_\_\_

### Send Sales Leads To:

Name: \_\_\_\_\_ Title: \_\_\_\_\_ E-mail: \_\_\_\_\_

### AGENCIES ONLY

Name: \_\_\_\_\_ Title: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Postal Code: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_ Fax: ( \_\_\_\_\_ ) \_\_\_\_\_

## STEP TWO — COMPANY INFORMATION.

### PREPARE:

- Your company logo (Letterhead, clean copy or any electronic file.)
- 250 words describing your company, products, services and any highlights.

## STEP THREE — CHOOSE YOUR CATEGORIES.

See reverse side of sheet. Please be sure to indicate whether you are a **MANUFACTURER** or a **DISTRIBUTOR** for each product or service.

## STEP FOUR — PAYMENT.

My Check is enclosed for \$1,195 (a paid invoice will be sent for your files).

Please charge my M/C or Visa (a paid invoice will be sent for your files).

Card #: \_\_\_\_\_ Expiration Date: \_\_\_\_\_

Signature: \_\_\_\_\_

Please invoice me

NOTE: Please make check payable to Randall Publishing, Inc. All payments must be made in U.S. dollars drawn on a U.S. bank. Your page will be uploaded after payment is received in full and after you have signed and approved a proof copy of the page. Length of service is one full year beginning on your initial upload date. The publisher reserves the right to accept or reject materials at his discretion.

**www.powertransmission.com**

RANDALL PUBLISHING, INC. • P.O. BOX 1426, ELK GROVE, IL 60009 • PH: 847-437-6604 • FAX: 847-437-6618

## STEP THREE — CHOOSE YOUR CATEGORIES.

Company Name: \_\_\_\_\_

### Actuators

- Electric Actuators, Linear
- Electric Actuators, Rotary
- Geared Actuators
- Hydraulic Actuators, Linear
- Hydraulic Actuators, Rotary
- Mechanical Actuators, Linear
- Mechanical Actuators, Rotary
- Piezoelectric Actuators
- Pneumatic Actuators, Linear
- Pneumatic Actuators, Rotary
- Servo Actuators

### Adjustable/Variable Speed Drives

- AC Drives
- CVT Drives
- DC Drives
- Hydraulic Adjustable Speed Drives
- Mechanical Adjustable Speed Drives
- Multispeed Gearboxes
- P.I.V. Drives
- Positioning Drives

### Bearings

- Air Bearings
- Ball Bearings
- Ball Bearings, Angular Contact
- Ball Bearings, Ceramic
- Ball Bearings, Miniature
- Bush Bearings
- Hydrodynamic Bearings
- Journal Bearings
- Linear Bearings
- Magnetic Bearings
- Mounted Ball Bearing Units
- Mounted Plain Bearing Units
- Mounted Roller Bearing Units
- Pillow Blocks
- Plain Bearings
- Roller Bearings, Cylindrical
- Roller Bearings, Needle
- Roller Bearings, Spherical
- Roller Bearings, Tapered
- Sintered Bearings
- Slewing Rings
- Spindle Bearings
- Thrust Bearings

### Belting & Belt Drives

- Belt Drives
- Chain/Belt Tensioners
- Conveyor Drives
- Expandable Pulley Belt Drives
- Flat Belt Pulleys
- Flat Belting
- Metal Belting
- Polyurethane Belts
- Round Belt Pulleys
- Round Belting
- Sheaves
- Synchronous Belting
- Synchronous Belt Pulleys
- Timing Belts
- Timing Belts, Polyurethane
- Timing Pulleys

- V-Belt Pulleys
- V-Belting
- V-Ribbed Pulleys
- Variable Speed Belting
- Variable Speed Pulleys

### Brakes

- Air Cooled Brakes
- Caliper Brakes
- Centrifugal Brakes
- Eddy Current Brakes
- Electrically Actuated Friction Brakes
- Electromagnetic Brakes
- Electromechanical Brakes
- Friction Brakes-AC
- Friction Brakes-Cone
- Friction Brakes-Disc
- Friction Brakes-Drum
- Friction Brakes-Fail-Safe
- Friction Brakes-Torque Limiting
- Hydraulic Brakes
- Hysteresis Brakes
- Magnetic Particle Brakes
- Pneumatically Actuated Friction Brakes
- Spring-Wrap Brakes
- Water Cooled Brakes

### Chain & Chain Drives

- Chain/Belt Tensioners
- Chain Drives
- Conveyor Drives
- Engineering Class Chain
- Leaf Chain
- Metal Chain Sprockets
- Pintle Chain
- Plastic Chain
- Plastic Chain Sprockets
- Roller Chain
- Silent Chain

### Clutches

- Backstop Clutches
- Centrifugal Clutches
- Eddy Current Clutches
- Electrically Actuated Friction Clutches
- Electromagnetic Clutches
- Electromechanical Clutches
- Friction Clutches-Cone
- Friction Clutches-Disc
- Friction Clutches-Drum
- Hydraulically Actuated Friction Clutches
- Hysteresis Clutches
- Magnetic Particle Clutches
- Magnetic Synchronous Clutches
- Mechanical Lockup Clutches
- Mechanically Actuated Friction Clutches
- Oil Shear Clutches
- One-Way Clutches
- Overload Release Clutches
- Overrunning Clutches
- Pneumatically Actuated Friction Clutches
- Self-Actuating Clutches
- Single Position Jaw Clutch Units
- Slip Clutches
- Spring-Wrap Clutches

- Tooth Clutches
- Torque Clutches
- Water Cooled Clutches

### Controls

- AC Inverter Drives
- AC Motor Controls
- Analog-Digital Converters
- Circuit Breakers
- Clutch & Brake Controls
- Contactors
- Control Switches
- DC Brake Controls
- Displays
- Full Voltage Starters/Controls
- Humidity/Moisture Sensors
- Limit Switches
- Load Sensors
- Motor/Controller Units
- Personal Computers
- Phase Converters
- Power Switches
- Pressure Switches
- Programmable Controllers
- Reduced Voltage Starters & Controls
- Register Control Systems
- Relay Controllers
- Servo Controllers
- Speed Controls
- Step Motor Controllers
- Switch Controllers
- Tension Controllers
- Timers
- Torque Sensors
- Viscosity Sensors

### Couplings & U-Joints

- C-V Joints/Driveshafts
- Clutch Couplings
- Composite Disk Couplings
- Composite Shaft Couplings
- Curvic Couplings
- Diaphragm Couplings
- Disc Couplings
- Elastomeric Couplings
- Flexible Beam Couplings
- Flexible Metallic Couplings
- Flexible Nonmetallic Couplings
- Fluid Couplings
- Gear Couplings
- Grid Couplings
- Magnetic Couplings
- Metal Beam Couplings
- Metal Bellows Couplings
- Rigid Couplings
- Rubber-in-Shear Couplings
- Servo Couplings
- Spider Couplings
- Taper Bushes
- Torque Limiting Couplings
- Torsional Couplings
- Universal Joints
- Wrapped Spring Couplings

[www.powertransmission.com](http://www.powertransmission.com)

RANDALL PUBLISHING, INC. • P.O. BOX 1426, ELK GROVE, IL 60009 • PH: 847-437-6604 • FAX: 847-437-6618

# STEP THREE — CHOOSE YOUR CATEGORIES.

Company Name: \_\_\_\_\_

## Gears (See Also Gear Manufacturing Services and Gear Drives)

<input type="checkbox"/> Aerospace Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Automotive Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Cast Tooth Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Coarse Pitch Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Custom Gear Manufacturing	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Face Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Fine Pitch Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Forged Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Gear Breakdown/Emergency Service	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Geared Shafts	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Max. Length _____	Quality _____
<input type="checkbox"/> Gerotors	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Ground Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Helical Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Herringbone Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Hypoid Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Injection Molded Plastic Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Internal Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Internal Splines	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Max. Length _____	Quality _____
<input type="checkbox"/> Marine Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Medium Pitch Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Miniature Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Mining Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Miter Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Non-circular Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Non-lubricated Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Pinion Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Pinion Wire	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Max. Length _____	Quality _____
<input type="checkbox"/> Planetary Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Plastic Gears, Cut	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Plastic Gears, Injection Molded	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Powder Metal Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Pump Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Punched Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Racks	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Max. Length _____	Quality _____
<input type="checkbox"/> Ratchets	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Ring Gears, Automotive Starter	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Ring Gears, Bevel	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Ring Gears, Internal	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Ring Gears, Spur/Helical	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Rotors	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Segments	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Serrations	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Skived Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Slewing Rings	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Spiral Bevel Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Splined Shafts	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Max. Length _____	Quality _____
<input type="checkbox"/> Sprockets	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Spur Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Starter Ring Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Steering Sectors	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Stock Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Straight Bevel Gears	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	
<input type="checkbox"/> Timing Pulleys	Min. Dia. _____	Max. Dia. _____	Pitch _____	Quality _____	
<input type="checkbox"/> Worm Wheels	Min. Dia. _____	Max. Dia. _____	Min. # Teeth _____	Max. # Teeth _____	Quality _____
<input type="checkbox"/> Worms	Min. Dia. _____	Max. Dia. _____	Max. DP _____	Quality _____	

## Gear Manufacturing Services

<input type="checkbox"/> Bevel Gear Manufacturing	<input type="checkbox"/> Gear Hobbing Services	<input type="checkbox"/> Spline Rolling Services
<input type="checkbox"/> Broaching Services	<input type="checkbox"/> Gear Honing & Burnishing Services	<input type="checkbox"/> Stock Gear Manufacturing
<input type="checkbox"/> Custom Gear Manufacturing	<input type="checkbox"/> Gear Lapping Services	<input type="checkbox"/> Other Gear Manufacturing Services
<input type="checkbox"/> Deburring Services	<input type="checkbox"/> Gear Rack Manufacturing Services	
<input type="checkbox"/> Gear Finishing Services	<input type="checkbox"/> Gear Shaping Services	
<input type="checkbox"/> Gear Forging Services	<input type="checkbox"/> Gear Shaving Services	
<input type="checkbox"/> Gear Grinding Services	<input type="checkbox"/> Prototype Manufacturing	

**www.powertransmission.com**

RANDALL PUBLISHING, INC. • P.O. BOX 1426, ELK GROVE, IL 60009 • PH: 847-437-6604 • FAX: 847-437-6618

## STEP THREE — CHOOSE YOUR CATEGORIES.

Company Name: \_\_\_\_\_

### Gear Drives

- |   |                  |                  |               |               |
|---|------------------|------------------|---------------|---------------|
| <input type="checkbox"/> Aerospace Gearboxes                    | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Automatic Transmissions                | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Axles, Automotive                      | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Bevel Gear Drives                      | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Combination Drives                     | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Cycloidal Drives                       | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differential Gear Drives, Misc.        | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Cycloidal               | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Dual Output             | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Epicyclic/Planetary     | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Planetary Phase Shifter | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Register Control        | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Speed Control           | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Tension Control         | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Differentials, Torque Control          | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Epicyclic Gear Drives                  | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gear Drives, Non-lubricated            | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gear-Shift Transmissions               | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearbox Housings                       |                  |                  |               |               |
| <input type="checkbox"/> Gearboxes                              | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearboxes, Custom-Built                | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearboxes, Helical-Bevel               | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearboxes, Inline                      | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearboxes, Right Angle                 | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearboxes, Wind Turbine                | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Geared Actuators                       | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearheads                              | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearheads, Planetary                   | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Gearmotors                             | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Harmonic Drives                        | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Helical Gear Drives                    | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Helicopter Gearboxes                   | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Herringbone Gear Drives                | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Hypoid Gear Drives                     | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Manual Shift Transmissions             | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Marine Gear Drives                     | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Miter Gear Drives                      | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Multispeed Gearboxes                   | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Planetary Gear Drives                  | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Power Take-Offs                        | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Right Angle Drives-Clutching           | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Right Angle Drives-Reversing           | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Servo Gearheads                        | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Servo Reducers-Cycloidal               | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Servo Reducers-Spiral Bevel            | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Servo Reducers-Worm                    | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Shaft Mounted Speed Reducers           | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Speed Increaseers                      | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Speed Reducers                         | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Spiral Bevel Gear Drives               | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Spur Gear Drives                       | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Traction Drives                        | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Transfer Cases                         | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Variable Speed Drives                  | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Winches                                | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Wind Turbine Gearboxes                 | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |
| <input type="checkbox"/> Worm Drives                            | Max. Ratio _____ | Min. Ratio _____ | Max. hp _____ | Min. hp _____ |

### Hydraulic Power

- |  |   |                                      |
|--|---|--------------------------------------|
| <input type="checkbox"/> Hydraulic Accessories       | <input type="checkbox"/> Hydraulic Pumps—Piston | <input type="checkbox"/> Pump Drives |
| <input type="checkbox"/> Hydraulic Brakes            | <input type="checkbox"/> Hydraulic Pumps—Vane   |                                      |
| <input type="checkbox"/> Hydraulic Motors            | <input type="checkbox"/> Hydraulic Valves       |                                      |
| <input type="checkbox"/> Hydraulic Pressure Switches | <input type="checkbox"/> Hydrodynamic Drives    |                                      |
| <input type="checkbox"/> Hydraulic Pumps—Gear        | <input type="checkbox"/> Hydrostatic Drives     |                                      |

**www.powertransmission.com**

RANDALL PUBLISHING, INC. • P.O. BOX 1426, ELK GROVE, IL 60009 • PH: 847-437-6604 • FAX: 847-437-6618

